

Leica Lino

Accurate, self-levelling
point and line lasers



SITE PROOF
by Leica Geosystems

- when it has to be **right**

Leica
Geosystems







Setup, Switch on, Ready!

With the Leica Lino everything is plumb and perfectly aligned

- Leica Linos project lines or points to millimeter accuracy, leaving your hands free to get on with the job. Making your work a lot easier!
- Leica Linos automatically compensate for minor angular misalignments by levelling themselves over a range of $\pm 4^\circ$. So you can avoid errors.
- Top quality optics and proven Power Range Technology™ ensure that the projected laser lines and points are highly visible and accurate.
- Simple to understand and easy to operate.



Which Leica Lino is right for me?

	Function	P3	P5	L2	L2G	L2P5
	Plumbing up and down	●	●			●
	Setting out right angles		●			●
	Horizontal levelling	●	●	●	●	●
	Vertical aligning			●	●	●
	Vertical and horizontal aligning			●	●	●
	Aligning at an angle			●	●	●



Leica Lino P3 and P5

Right to the point!

Forget about plumb bobs, string lines and spirit levels! Practical and simple to operate, the Leica Lino P3 and P5 point lasers transfer all the points you need, quickly and accurately. They are an efficient solution for professional plumbing and aligning tasks.

- **Simple to operate**

Just one button for all applications.

- **Self-levelling**

The instrument is quick and effortless to set up. Minor angular misalignments within $\pm 4^\circ$ are automatically compensated for by the instrument. If it is further out of level, the instrument will not project the point. Thus cutting out the errors.

- **Robust housing**

The Leica Lino is dust and splash-proof to IP54 and can be locked to protect the instrument during transport.






Plumbing

The Leica Lino P3 and P5 are excellent for plumbing up and down. The laser beam is projected above and below the instrument, allowing you to transfer reference points quickly and efficiently, e.g. from floor to ceiling.




Setting out right angles

The Leica Lino P5 has five laser beams, which are exactly at right angles to one another. This greatly simplifies setting out tasks and makes your interior fitting-out more precise and efficient.



Aligning

In addition to the plumb beams, the Leica Lino P5 projects three points at exactly the same height. Aligning windows, partition walls and other building elements becomes quick and easy.



Transferring measured points

Turn the rotatable adapter to transfer reference points in no time at all across the room from one wall to another. Leave your spirit level and string line in your toolbox!



Expanded range of applications

The adapter supplied with the Leica Lino P3 and P5 positions the instrument quickly and with absolute precision. You can set up the adapter over edges and profiles, attach it to circular columns or fix it to steel or iron pipes with the integrated magnets.

Leica Lino versatility

Point for point an impressive line-up

Technical data	P3	P5	L2	L2G	L2P5
Range	up to 15 m*				
Range with detector	—	—	> 30 m		
Levelling accuracy @ 5 m	± 1.5 mm	± 1.5 mm	± 1 mm	± 1.5 mm	± 2 mm
Self-levelling range	4° ± 0.5°				
Accuracy of plumb point @ 5 m	± 1.5 mm	± 1.5 mm	—	—	± 1.5 mm
Accuracy of horizontal line @ 5 m	—	—	± 1.5 mm		
Vertical accuracy @ 3 m line length	—	—	± 0.75 mm		
Number of laser points	3	5	—	—	4
Number of laser lines	—	—	2	2	2
Beam direction	up, down, forward	up, down, forward, right, left	vertical, horizontal	vertical, horizontal	vertical, horizontal, up, down, right, left
Laser type	635 nm, laser class II			532 nm, laser class II	635 nm, laser class II
Batteries	type AA 3×1.5 V				type AA 4×1.5 V
Protection class splash water/dustproof	IP54				
Operating temperature	-10°C to 40°C			0°C to 40°C	-10°C to 40°C
Storage temperature	-25°C to 70°C				
Dimensions (H×D×W)	99.1×108.1×59.3 mm		96×91×54 mm		117.8×130.7×75.4 mm
Weight without batteries	310 g	320 g	321 g	350 g	370 g
Tripod thread	¼"				

* depending on lighting conditions

Figures, descriptions and technical data for information only; subject to change.
Printed in Switzerland. Copyright Leica Geosystems AG, Heerbrugg, Switzerland 2009



Laser class 2 in accordance with IEC 60825-1



**Jürgen Lippmann
(Kitchen Installer)**

"The Leica Lino L2 gives me absolutely straight lines around corners and on opposite walls. This way all my kitchens are perfect."



**Horst Bauermeister
(Drywaller)**

"Using the Leica Lino L2P5 with its multifunction adapter, I can position items quickly and precisely. A great range of functions makes it the ideal instrument for interior work."



**Matthias Grunert
(Plumber)**

"At the touch of a button, the Leica Lino P3 shows me the plumb point and I have my hands free to do the work. Now my pipes are always perfectly aligned."

Dealer stamp



www.leica-geosystems.com

776129-en

- when it has to be **right**

Leica
Geosystems